



A complex geometric diagram featuring a blue outline of a face. Red lines connect various points on the face, forming a network or graph structure. The connections are dense, particularly around the eyes, nose, and mouth, suggesting a complex relationship or data flow. The diagram is labeled with a small '1' in the bottom left corner.



Paciente: GILIARDE RAMOS

Idade: 43 **Sexo:** M

Solicitante: Dr(a) Nara Brasil **Data de Realização:** 08/08/2025 11:00

Análise USP

	Fator	Valor Obtido	Padrão	Desvio	Classe	Representação Gráfica
1	N-Pog.Po.Orb (N-Pog.Po.Orb)	88,962°	88 ± 1	0,962	---	
2	NAP ((f)NA.APog)	1,793°	0 ± 2	1,793	Perfil reto	
3	S-N.A (S-N.A)	84,038°	82 ± 2	2,038	Protrusão maxilar	
4	S-N.B (S-N.B)	81,244°	80 ± 2	1,244	Bom posicionamento	
5	A-N.B ((A-N).(N-B))	2,794°	2 ± 2	0,794	Cl I esquelética	
6	S-N.D (S-N.D)	79,478°	76 ± 0	3,478	---	
7	N-S.Gn (N-S.Gn)	66,882°	67 ± 0	-0,118	---	
8	SN.Ocl (S-N.Ppd-iii)	14,145°	14 ± 0	0,145	---	
9	S-N.Go-Me (S-N.Go-Me)	36,216°	32 ± 0	4,216	---	
10	Go-Gn.Ocl (Go-Gn.Ocl)	20,652°	18 ± 0	2,652	---	
11	1/.1 ((Ais-lis).(Aii-iii))	131,969°	131 ± 0	0,969	---	
12	1/.NS (1/.NS)	108,732°	103 ± 0	5,732	---	
13	/1-Orbita (/1-Orbita)	7,325mm	5 ± 0	2,325	---	
14	1/.NA (1/.NA)	24,694°	22 ± 5	2,694	Bom posicionamento	
15	1/-NA (1/-NA)	1,935mm	4 ± 0	-2,065	bom posicionamento	
16	/1.NB ((iii-Aii).(N-B))	20,543°	25 ± 4	-4,457	Incisivo superior lingualizado	
17	/1-NB (iii-(N-B))	2,608mm	4 ± 0	-1,392	Bom posicionamento	
18	/1-NPog (iii-(N-Pog))	0,137mm	0 ± 0	0,137	---	
19	H.N-B (H.N-B)	6,942°	10,5 ± 1,5	-3,558	---	
20	H-Nariz (Pn-LsPog')	9,781mm	10 ± 1	-0,219	---	
21	Pog-NB (Pog-(N-B))	3,594mm	---	-0,219	---	
22	Eminência Mentoniana (B-E-Go-Me)	11,174mm	7 ± 1	4,174	---	
23	FMIA ((Po-Or).(Aii-iii))	66,477°	68 ± 0	-1,523	---	
24	FMA ((Go-Me).(Po-Or))	30,44°	25 ± 0	5,44	---	



Paciente: GILIARDE RAMOS
Idade: 43 **Sexo:** M
Solicitante: Dr(a) Nara Brasil **Data de Realização:** 08/08/2025 11:00

	Fator	Valor Obtido	Padrão	Desvio	Classe	Representação Gráfica
25	IMPA ((Me-Go),(Aii-lII))	83,083°	87 ± 0	-3,917	---	
26	TPi (TPi)	-1,489mm	---	-3,917	---	
	Grupo					
27	/1-Linha I (Iii-P'E)	0,21mm	0 ± 0	0,21	---	
28	Go-Me.V-T (Go-Me.V-T)	60,702°	72 ± 0	-11,298	---	
29	F.V-T (F.V-T)	88,858°	81 ± 0	7,858	---	
30	A-V-T (A-V-T)	7,15mm	3 ± 0	4,15	---	
31	Iii-V-T (Iii-V-T)	6,491mm	6 ± 0	0,491	---	
32	H.V-T (H.V-T)	8,78°	5 ± 0	3,78	---	
33	NA.APog (NA.APog)	1,793°	---	3,78	---	
34	Convexidade do Ponto A (A-N-Pog)	0,828mm	---	3,78	---	



Paciente: GILIARDE RAMOS
Idade: 43 **Sexo:** M
Solicitante: Dr(a) Nara Brasil **Data de Realização:** 08/08/2025 11:00

ANÁLISE SINTÉTICA

Análise USP

NAP:	Perfil reto
S-N.A:	Protrusão maxilar
S-N.B:	Bom posicionamento
A-N.B:	Cl I esquelética
1/.NA:	Bom posicionamento
1/-NA:	bom posicionamento
/1.NB:	Incisivo superior lingualizado
/1-NB:	Bom posicionamento