



A hand-drawn diagram of a face, likely a sketch for a technical or artistic purpose. The face is outlined in blue. Red lines are drawn from various points on the face (eyes, nose, mouth, chin, forehead) to a central point, possibly representing a camera or a point of projection. The lines are drawn in a way that suggests a 3D perspective or a specific projection method. The drawing is done on a white background.



Paciente: GILMAR DE FREITAS

Idade: 45 **Sexo:** M

Solicitante: Dr(a) Guilherme Aguiar Assmann **Data de Realização:** 24/10/2025 08:49

Análise USP

	Fator	Valor Obtido	Padrão	Desvio	Classe	Representação Gráfica
1	N-Pog.Po.Orb (N-Pog.Po.Orb)	90,155°	88 ± 1	2,155	---	
2	NAP ((f)NA.APog)	-4,15°	0 ± 2	-4,15	Perfil côncavo	
3	S-N.A (S-N.A)	79,969°	82 ± 2	-2,031	Retrusão maxiliar	
4	S-N.B (S-N.B)	79,398°	80 ± 2	-0,602	Bom posicionamento	
5	A-N.B ((A-N).(N-B))	0,571°	2 ± 2	-1,429	Cl I esquelética	
6	S-N.D (S-N.D)	77,865°	76 ± 0	1,865	---	
7	N-S.Gn (N-S.Gn)	66,364°	67 ± 0	-0,636	---	
8	SN.Ocl (S-N.Ppd-iii)	5,271°	14 ± 0	-8,729	---	
9	S-N.Go-Me (S-N.Go-Me)	29,572°	32 ± 0	-2,428	---	
10	Go-Gn.Ocl (Go-Gn.Ocl)	20,148°	18 ± 0	2,148	---	
11	1/.1 ((Ais-lis).(Aii-iii))	137,064°	131 ± 0	6,064	---	
12	1/.NS (1/.NS)	103,354°	103 ± 0	0,354	---	
13	/1-Orbita (/1-Orbita)	1,527mm	5 ± 0	-3,473	---	
14	1/.NA (1/.NA)	23,385°	22 ± 5	1,385	Bom posicionamento	
15	1/-NA (1/-NA)	3,671mm	4 ± 0	-0,329	bom posicionamento	
16	/1.NB ((iii-Aii).(N-B))	18,98°	25 ± 4	-6,02	Incisivo superior lingualizado	
17	/1-NB (iii-(N-B))	2,006mm	4 ± 0	-1,994	Bom posicionamento	
18	/1-NPog (iii-(N-Pog))	-1,39mm	0 ± 0	-1,39	---	
19	H.N-B (H.N-B)	3,654°	10,5 ± 1,5	-6,846	---	
20	H-Nariz (Pn-LsPog')	11,694mm	10 ± 1	1,694	---	
21	Pog-NB (Pog-(N-B))	4,64mm	---	1,694	---	
22	Eminência Mentoniana (B-E-Go-Me)	9,667mm	7 ± 1	2,667	---	
23	FMIA ((Po-Or).(Aii-iii))	68,64°	68 ± 0	0,64	---	
24	FMA ((Go-Me).(Po-Or))	21,351°	25 ± 0	-3,649	---	



Paciente: GILMAR DE FREITAS

Idade: 45 **Sexo:** M

Solicitante: Dr(a) Guilherme Aguiar Assmann **Data de Realização:** 24/10/2025 08:49

	Fator	Valor Obtido	Padrão	Desvio	Classe	Representação Gráfica
25	IMPA ((Me-Go).(Aii-Iii))	90,01°	87 ± 0	3,01	---	
26	TPi (TPi)	-5,999mm	---	3,01	---	
Grupo						
27	/1-Linha I (Iii-P'E)	0,381mm	0 ± 0	0,381	---	
28	Go-Me.V-T (Go-Me.V-T)	65,039°	72 ± 0	-6,961	---	
29	F.V-T (F.V-T)	93,611°	81 ± 0	12,611	---	
30	A-V-T (A-V-T)	7,745mm	3 ± 0	4,745	---	
31	Iii-V-T (Iii-V-T)	6,952mm	6 ± 0	0,952	---	
32	H.V-T (H.V-T)	9,645°	5 ± 0	4,645	---	
33	NA.APog (NA.APog)	4,15°	---	4,645	---	
34	Convexidade do Ponto A (A-N-Pog)	-1,895mm	---	4,645	---	



Paciente: GILMAR DE FREITAS
Idade: 45 **Sexo:** M
Solicitante: Dr(a) Guilherme Aguiar Assmann **Data de Realização:** 24/10/2025 08:49

ANÁLISE SINTÉTICA

Análise USP

NAP:	Perfil côncavo
S-N.A:	Retrusão maxiliar
S-N.B:	Bom posicionamento
A-N.B:	Cl I esquelética
1/.NA:	Bom posicionamento
1/-NA:	bom posicionamento
/1.NB:	Incisivo superior lingualizado
/1-NB:	Bom posicionamento